

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	("6690028").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/18 16:00
S1	332	(315/167).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/12 15:38
S2	0	("(electroluminescentwithdisplay)and(powernearline)").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/12 15:39
S3	286	(electroluminescent with display) and (power near line)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/13 10:23
S4	31	(power near distribution) and pixel and (display or panel) and cathode and anode and (power adj (supply or plane or source))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/13 10:35
S5	31	(power near distribution) and pixel and (display or panel) and cathode and anode and (power near (supply or plane or source))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/13 10:55
S6	2487	(even near distribution) and power and (display or panel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/13 10:55
S7	48	((even near distribution) with power) and (display or panel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/13 11:30
S8	849	(345/211).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/13 13:54
S9	1	("6828723").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/13 13:26

S11	3	S8 and ((even or uniform) adj distribution)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/13 14:23
S12	21	S8 and (power with distribution)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/13 13:55
S13	1448	((even or uniform) adj distribution) and ("345"/\$.ccls. or "313"/\$.ccls. or "315"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/13 14:24
S14	42	S13 and (power near (line or plane))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/13 15:16
S16	2	S8 and (power near bus)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/13 16:05
S17	179	display and pixel\$1 and (power with bus) and anode and cathode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/13 15:42
S18	1	("6828723").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/13 15:42
S19	0	((uniform or even) adj power adj distribution) and display and (EL or electroluminescent)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/13 16:07
S20	7	((uniform or even) adj power adj distribution) and display and (EL or electroluminescent)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/13 16:08

S21	5250	((voltage adj drop) same power) and display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/13 16:09
S22	1156	S21 and cathode and anode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/13 16:09
S23	10	S22 and ((even or uniform) near distribution)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/13 16:13
S24	332	(315/167).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/13 16:54
S25	1203	(organic with display) and (power adj supply) and cathode and anode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/13 16:59
S26	98	S25 and bus	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/13 16:59
S27	4010	cathode same anode same el same power	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/13 17:36
S28	72	S27 and (organic near display)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/13 17:50
S29	1	("20030128200").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/16 09:50

S30	2437	(power\$3 same pixel) and display and cathode and anode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/16 10:30
S31	1945	S30 and (organic or EL)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/16 10:30
S32	1095	S31 and @pd<"20040220"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/16 10:58
S33	1	("6690028").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/16 11:13
S34	10	(back with edge with delay) and (front with edge with delay) and amplif\$3 and switch	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/16 11:20
S35	1151	((back with edge with delay) and (front with edge with delay)) or (pulse with width with adjusting) and amplif\$3 and switch	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/16 11:21
S36	142	S35 and pixel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/16 12:10
S37	1	("5540999").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/16 12:11
S38	1	("6366017").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/16 12:11
S39	11	("6366017").URPN.	USPAT	OR	OFF	2005/05/16 13:09
S40	359	(power with line) and distribut\$3 and pixel\$1 and cathode and anode	USPAT	OR	OFF	2005/05/16 13:41
S41	64	(345/52).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/16 13:51

S42	485	(345/55).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/16 13:52
S43	352	S42 and (matrix or mesh)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/16 13:52
S44	70	S43 and cathode and anode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/16 14:06
S45	1	("6307324").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/16 14:06
S46	1	("6307324").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/18 13:59
S47	30	(power adj line\$1) and (power adj plane\$1) and pixel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/18 14:02
S48	887	(power near distribution) and pixel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/18 14:02
S49	657	S48 and @pd<"20040220"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/18 14:03
S50	506	S49 and display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/18 14:03
S51	30	S50 and cathode and anode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/18 16:00